



BLOUBERG MUNICIPALITY

2018 -10- 31

P.O. BOX 1593
SENWABARWANA, 0790
TEL: 015 505 7100

P.O. Box 1593
SENWABARWANA 0790
Tel: No.: 015 505 7100

E-mail: info@blouberg.gov.za

INVITATION TO BID

30 OCTOBER 2018

SUPPLY AND DELIVERY OF ALCOHOL TESTING MACHINE

All prospective bidders are hereby invited to submit quotations for the following:

Item NO	DESCRIPTION	Quantity	DETAILS OF OFFER
1	Alcohol testing machine	06	

The following documents are compulsory for all Bidders:

- CSD report not older than three(3) months
- Certified BBBEE certificate (preference point scoring system 80/20)
- MBD4, MBD6.1, 6.2 and MBD8 forms must be attached and can be downloaded from www.blouberg.gov.za

All quotations must be submitted in a sealed envelope at procurement office before/on the 08 November 2018 at 12H00 PM, the municipality is not liable to accept the lowest or any other tender.

Channels to be followed in the instance wherein the bidder is aggrieved by the decision taken by the BLM in the implementation of its SCM system, any matter arising from a contract awarded in the course of its SCM system or any matter arising from the contract. (Regulation 49 & 50 of MFMA 56 of 2003)

- The written dispute must be lodged within 14 days of decision to the BLM and attention to Makwela M(015 505 7100)
- The dispute, objection, complaint or query may be referred to the relevant provincial treasury if, it is not resolved within 60 days or no response is received from the municipality within 60 days.
- If the provincial treasury does not or cannot resolve the matter, the dispute, objection, complaint or query may be referred to the National Treasury for resolution.

NB This regulation must not be read as affecting a person's rights to approach a court at any time

For enquiries kindly contact the following officials from 08H00-16H00:

1. Malapane MJ (Technical matters)
2. Makgoshing SP (Procurement Officer)

Tel: 015 505 7100

Tel: 015 505 7100

Approved by MM:

Machaba Junias

Date: 2018.10.31

INVITATION FOR ALCOHOL TESTING MACHINE